





110261
6 Gramm



110263
7 Gramm



100300
Gummieinsatz anstatt Blindsieb



110262
12 Gramm




110264
14 Gramm

320909
6 Gramm
noch etwas flacher



105106
Blindsieb



120139/M12
Gewinde M12

100120/NO
3/8"



100123/A
3/8" - kurz



10-0125
3/8



10-0122
3/8

100126 3/8"
verstellbar



10-0123
3/8




10-0124
3/8





100120/N
3/8"




10-0121
3/8





Einlaßventil

279020
komplett

Überdruck-/Rückschlagventil

279021
komplett

Rückschlagventil

Milchaufschäumer EDELSTAHL




109991

Milchaufschäumer EDELSTAHL



109992






1GR W2000 V230 = 270044 Eintauchtiefe 145 mm
2GR W3500 V230 = 270045 Eintauchtiefe 340 mm
3GR W5000 V230 = 270046 Eintauchtiefe 340 mm








W1350 V230 = 278000 Eintauchtiefe 165 mm




Pressostat SIRAI
(Kesseldruckwächter)




Entlüftungsventil






270075
3 bar



270076
20 bar




278010



278011
für Modell ELLISSE

27-0083
Hauptschalter
Stufen 0/1
2-polig 25A



27-0073
Mikroschalter Gruppe

