



Material: Polished stainless steel



FUNCTIONING:	<input checked="" type="checkbox"/> HOT WATER	<input checked="" type="checkbox"/> ELECTRIC <i>(see page 104)</i>	<input checked="" type="checkbox"/> DUAL ENERGY <i>(see page 196)</i>
P. max: 8 bar	T. max: 95 °C		
Connections: 2 x 1/2" gas - 1 x 1/2" gas Airvent			

Surprising and elegant Stefania satisfies the most exigent customer. Ideal for bathroom, it has linear and cleaned out profile. Stefania is available both in polished and satin stainless steel.

Material:

- Vertical collectors in stainless steel with \varnothing of 30 mm.
- Horizontal heating elements in stainless steel 30x10 mm.

Fixing Kit:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick walls, user notice.

Packing:

The radiator is protected by a recycled film in polyethylene and with a box in recycled carton. User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.


Accessories:

See page 186


ACCESSORIES

	KIT 2 HOOKS POLISHED STAINLESS STEEL
Code Nr. 5991990010218	

	TOWEL BAR IN PLEXIGLASS Towel bar in plexiglas and stainless steel. Foldable and removable.	
	Available with Width \geq 450 mm	
	Width L x Depth P	Code Nr.
	L 370 mm x P 377 mm	5991990310402
	L 420 mm x P 377 mm	5991990310403



Detail of the Pipe Centres 50 mm version



STEFANIA POLISHED STAINLESS STEEL				Pipe Centres 50					
Height (mm)	Width L (mm)	Code Nr.	Pipe Centres DBC (mm)	Code Nr.	Dry Weight (Kg)	Water Content (lt)	Output $\Delta T=50^{\circ}\text{C}$ *		75/65/20°C ($\Delta T=50^{\circ}\text{C}$)
							Watt	kcal/h	Thermal output ϕ in Watt and ΔT in °C
735	400	3551610130100	370	3551610130120	8,0	2,2	218	187	$\phi = 2,0629 * \Delta t$ ^{1,1913}
	500	3551610130104	470	3551610130124	9,5	2,5	262	225	$\phi = 2,4744 * \Delta t$ ^{1,1918}
1120	400	3551610130101	370	3551610130121	11,6	3,2	300	258	$\phi = 2,4940 * \Delta t$ ^{1,2244}
	500	3551610130105	470	3551610130125	13,8	3,7	365	314	$\phi = 3,0943 * \Delta t$ ^{1,2194}
	600	3551610130109	570	3551610130129	16,0	3,3	431	371	$\phi = 3,7028 * \Delta t$ ^{1,2160}
1435	400	3551610130102	370	3551610130122	14,4	4,0	368	316	$\phi = 2,7765 * \Delta t$ ^{1,2492}
	500	3551610130106	470	3551610130126	17,1	4,6	450	387	$\phi = 3,5182 * \Delta t$ ^{1,2401}
	600	3551610130110	570	3551610130130	19,8	4,6	531	457	$\phi = 4,2551 * \Delta t$ ^{1,2338}
1855	400	3551610130103	370	3551610130123	18,4	5,2	484	416	$\phi = 3,1559 * \Delta t$ ^{1,2865}
	500	3551610130107	470	3551610130127	21,9	6,0	591	508	$\phi = 4,0913 * \Delta t$ ^{1,2712}
	600	3551610130111	570	3551610130131	25,4	5,7	697	599	$\phi = 5,0293 * \Delta t$ ^{1,2606}
2030	500	3551610130108	470	3551610130128	23,2	6,4	625	538	$\phi = 4,2114 * \Delta t$ ^{1,2781}
	600	3551610130112	570	3551610130132	26,8	6,9	737	634	$\phi = 5,1966 * \Delta t$ ^{1,2665}
	800	3551610130113	770	3551610130133	34,2	8,8	962	827	$\phi = 7,1931 * \Delta t$ ^{1,2515}

(*) For output at different Δt than 50°C, see page 202

STAINLESS STEEL RADIATORS

ACCESSORIES

		KRISTAL VALVE SQUARE THERMOSTATIC FUNCTION CHROME (thermostatic head to be ordered separately)	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990311063	Ø 14/16/18	5991990311064

		KRISTAL VALVE SQUARE PIPE CENTRES 50 MM LEFT CHROME	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990301050	Ø 14/16/18	5991990301049

	LIQUID THERMOSTATIC HEAD CHROME
Kit 2 pieces	
Code Nr. 5035270710015	



Material: Satin stainless steel

FUNCTIONING:	<input checked="" type="checkbox"/> HOT WATER	<input checked="" type="checkbox"/> DUAL ENERGY <i>(see page 196)</i>
--------------	--	---

P. max: 8 bar	T. max: 95 °C
Connections: 2 x 1/2" gas - 1 x 1/2" gas Airvent	

Surprising and elegant Stefania satisfies the most exigent customer. Ideal for bathroom, it has linear and cleaned out profile.

Stefania is available both in polished and satin stainless steel.

Material:

- Vertical collectors in stainless steel with \varnothing of 30 mm.
- Horizontal heating elements in stainless steel 30x10 mm.

Fixing Kit:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick walls, user notice.

Packing:

The radiator is protected by a recycled film in polyethylene and with a box in recycled carton. User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.


Accessories:

See page 186


ACCESSORIES

	KIT 2 HOOKS SATIN STAINLESS STEEL
Code Nr. 5991990010219	

	TOWEL BAR IN PLEXIGLASS Towel bar in plexiglas and stainless steel. Foldable and removable.	
	Available with Width \geq 450 mm	
Width L x Depth P	Code Nr.	
L 370 mm x P 377 mm	5991990310402	
L 420 mm x P 377 mm	5991990310403	



Detail of the Pipe Centres 50 mm version



STEFANIA SATIN STAINLESS STEEL				Pipe Centres 50					
Height (mm)	Width L (mm)	Code Nr.	Pipe Centres DBC (mm)	Code Nr.	Dry Weight (Kg)	Water Content (lt)	Output $\Delta T=50^{\circ}\text{C}$ *		75/65/20°C ($\Delta T=50^{\circ}\text{C}$)
							Watt	kcal/h	Thermal output ϕ in Watt and ΔT in °C
735	400	3551610130200	370	3551610130220	8,0	2,2	228	196	$\phi = 2,0274 * \Delta t$ ^{1,2072}
	500	3551610130204	470	3551610130224	9,5	2,5	283	243	$\phi = 2,4619 * \Delta t$ ^{1,2128}
1120	400	3551610130201	370	3551610130221	11,6	3,2	325	280	$\phi = 2,6589 * \Delta t$ ^{1,2285}
	500	3551610130205	470	3551610130225	13,8	3,7	399	343	$\phi = 3,2668 * \Delta t$ ^{1,2283}
	600	3551610130209	570	3551610130229	16,0	3,3	474	408	$\phi = 3,8839 * \Delta t$ ^{1,2281}
1435	400	3551610130202	370	3551610130222	14,4	4,0	402	346	$\phi = 3,0905 * \Delta t$ ^{1,2444}
	500	3551610130206	470	3551610130226	17,1	4,6	491	422	$\phi = 3,8432 * \Delta t$ ^{1,2398}
	600	3551610130210	570	3551610130230	19,8	4,6	579	498	$\phi = 4,5892 * \Delta t$ ^{1,2366}
1855	400	3551610130203	370	3551610130223	18,4	5,2	529	455	$\phi = 3,7038 * \Delta t$ ^{1,2663}
	500	3551610130207	470	3551610130227	21,9	6,0	636	547	$\phi = 4,6506 * \Delta t$ ^{1,2572}
	600	3551610130211	570	3551610130231	25,4	5,7	744	640	$\phi = 5,6111 * \Delta t$ ^{1,2493}
2030	500	3551610130208	470	3551610130228	23,2	6,4	670	576	$\phi = 4,8251 * \Delta t$ ^{1,2611}
	600	3551610130212	570	3551610130232	26,8	6,9	782	673	$\phi = 5,8335 * \Delta t$ ^{1,2521}
	800	3551610130213	770	3551610130233	34,2	8,8	1005	864	$\phi = 7,8573 * \Delta t$ ^{1,2401}

(*) For output at different Δt than 50°C, see page 202

STAINLESS STEEL RADIATORS

ACCESSORIES

		KRISTAL VALVE SQUARE THERMOSTATIC FUNCTION SATIN STAINLESS STEEL (thermostatic head to be ordered separately)	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990321043	Ø 14/16/18	5991990321044

		VALVE KRISTAL CORNER RIGHT FOR THERMOSTATIC FUNCTION SATIN STAINLESS STEEL	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990321034	Ø 14/16/18	5991990321033

		VALVE KRISTAL CORNER LEFT FOR THERMOSTATIC FUNCTION SATIN STAINLESS STEEL	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990301046	Ø 14/16/18	5991990301045