

# TBT HORIZONTAL



Horizontal radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured




## ORDER EXAMPLE

To correctly order this model follow the example specified below:


<b>PRODUCT</b>	<b>TBT#120 OR 2 IDR CRO</b>
TBT#120 OR2	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
CRO	Colour code to be checked in the Tubes Colour Chart
<b>RECESSED PART</b>	<b>INCTBT#120 2 IDR</b>
INCTBT#120 2	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
<b>ACCESSORIES</b>	
Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRC#*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart	




**ELECTRIC VERSION MIXED VERSION**




**ELECTRIC VERSION**



**WATER VERSION**




**WATER VERSION MIXED VERSION**



## CONNECTION TO WATER SYSTEM


The connection to the water and/or electric system is with the Recessed Part for TBT which can be ordered separately but is strictly required.



## Remote Valve Assembly (GVR)

For other types of Valves and Lockshields, Valves (that can be fitted with thermostat), Thermostatic valve, Single pipe, Twin pipe, Stainless steel valves and thermostatic heads see page

## Connection of radiator to the Remote Valve Assembly (GVR)



The full price of the required TBT is calculated by summing the price of the external part (external TBT), the corresponding recessed part (recessed TBT) and the price of only one Remote Valve Assembly (GVR), VAT and transport costs are not included. Colours not available: GRGR

**PRICE ONLY FOR THE EXTERNAL PART (TBT external)** Includes the external TBT and everything required for installation to the recessed part (see below).

Model	L (cm)	Watts ΔT 50°C Coloured version	Watts ΔT 50°C Chrome plated version	Watts Electric version	HYDRAULIC VERSION		ELECTRIC VERSION		DUAL VERSION	
					Coloured version (€)	Chrome plated version * (€)	Coloured version (€)	Chrome plated version * (€)	Coloured version (€)	Chrome plated version * (€)
SINGLE	TBT#200OR1	200,0	199	127	93					
	TBT#180OR1	180,0	186	114	83					
	TBT#150OR1	150,0	151	95	68					
	TBT#120OR1	120,0	127	76	53					
DOUBLE	TBT#200OR2	200,0	398	254	186					
	TBT#180OR2	180,0	372	228	166					
	TBT#150OR2	150,0	302	190	136					
	TBT#120OR2	120,0	254	152	106					
TRIPLE	TBT#200OR3	200,0	597	381	279					
	TBT#180OR3	180,0	558	342	249					
	TBT#150OR3	150,0	453	285	204					
	TBT#120OR3	120,0	381	228	159					

\* Additional charge for the new galvanic finishings Black Nichel and Tin Glossy +10% on the Chrome version. The same additional charge is valid for the valves too.

**PRICE ONLY FOR THE RECESSED PART (TBT recess)** It includes the wall recessed part for connection to the Remote Valve Assembly and the support of the external part of TBT.

Model	HYDRAULIC VERSION	ELECTRIC VERSION	DUAL VERSION
SINGLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		
DOUBLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		
TRIPLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		

**REMOTE VALVE ASSEMBLY (GVR)** Includes the complete Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.


Code	Description	Chrome plated G0 * (€)	Coloured C0 - C1 - C2 - C3 (€)
GVR	Valve and Lockshield assembly for recessed remote connection, CHROME finish		-
GVRC	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	-	

The external finish of the GVR is Glossy Chrome-plated, Black Nichel, Tin glossy  
For the GVRC code you must specify the colour required

### ACCESSORIES (for electric and mixed version)

Code	Description	Price (€)
ZRF004	Kit with WALL type room thermostat (radio frequency)	
ZRF005	Kit with TABLE type room thermostat (radio frequency) with weekly programming	

### LAYOUT OF RECESSED PART



# TBT VERTICAL


Vertical radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured



## ORDER EXAMPLE


To correctly order this model follow the example specified below:

<b>PRODUCT</b>	<b>TBT#120 VE 2 IDR CRO</b>
TBT#120 VE 2	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
CRO	Colour code to be checked in the Tubes Colour Chart
<b>RECESSED PART</b>	<b>INCTBT#120 2 IDR</b>
INCTBT#120 2	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
<b>ACCESSORIES</b>	
Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRC#*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart	




## CONNECTION TO WATER SYSTEM

The connection to the water and/or electric system is with the Recessed Part for TBT which can be ordered separately but is strictly required.



## Remote Valve Assembly (GVR)

### Connection of radiator to the Remote Valve Assembly (GVR)



Colours not available: GR CR

**PRICE ONLY FOR THE EXTERNAL PART (TBT external)** Includes the external TBT and everything required for installation to the recessed part (see below).

Model	H (cm)	Watts $\Delta T$ 50°C Coloured version	Watts $\Delta T$ 50°C Chrome plated version	Watts Electric version	HYDRAULIC VERSION		ELECTRIC VERSION		DUAL VERSION	
					Coloured version (€)	Chrome plated version * (€)	Coloured version (€)	Chrome plated version * (€)	Coloured version (€)	Chrome plated version * (€)
SINGLE	TBT#200VE1	200,0	193	118	93					
	TBT#180VE1	180,0	172	106	83					
	TBT#150VE1	150,0	149	88	68					
	TBT#120VE1	120,0	115	71	53					
DOUBLE	TBT#200VE2	200,0	386	236	186					
	TBT#180VE2	180,0	344	212	166					
	TBT#150VE2	150,0	298	176	136					
	TBT#120VE2	120,0	230	142	106					
TRIPLE	TBT#200VE3	200,0	579	354	279					
	TBT#180VE3	180,0	516	318	249					
	TBT#150VE3	150,0	447	264	204					
	TBT#120VE3	120,0	345	213	159					

\* Additional charge for the new galvanic finishings Black Nichel and Tin Glossy +10% on the Chrome version. The same additional charge is valid for the valves too.

**PRICE ONLY FOR THE RECESSED PART (TBT recess)** It includes the wall recessed part for connection to the Remote Valve Assembly and the support of the external part of TBT.

Model	HYDRAULIC VERSION	ELECTRIC VERSION	DUAL VERSION
SINGLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		
DOUBLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		
TRIPLE	INCTBT#120		
	INCTBT#150		
	INCTBT#180		
	INCTBT#200		

**REMOTE VALVE ASSEMBLY (GVR)** Includes the complete Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.


Code	Description	Chrome plated G0 * (€)	Coloured C0 - C1 - C2 - C3 (€)
GVR	Valve and Lockshield assembly for recessed remote connection, CHROME finish		-
GVRC	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	-	

The external finish of the GVR is Glossy Chrome-plated, Black Nichel, Tin glossy  
For the GVRC code you must specify the colour required

**ACCESSORIES (for electric and mixed version)**

Code	Description	Price (€)
ZRF004	Kit with WALL type room thermostat (radio frequency)	
ZRF005	Kit with TABLE type room thermostat (radio frequency) with weekly programming	

**LAYOUT OF RECESSED PART**



# TBT BASE


Vertical radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured




## ORDER EXAMPLE

To correctly order this model follow the example specified below:

<b>PRODUCT</b>	<b>TBT#150 BA1 IDR CRO</b>
TBT#150 BA1	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
CRO	Colour code to be checked in the Tubes Colour Chart
<b>RECESSED PART</b>	<b>INCTBTBA#IDR</b>
INCTBTBA#	Article code found in the prices table on the side
IDR	Version Code, operating type IDR=Water
<b>ACCESSORIES</b>	
Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRC#*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart	



## Connection of radiator to the Remote Valve Assembly (GVR)



Connection of Remote Valve Assembly (GVR) to water system


## ELECTRIC ADJUSTERS

Electrical setting is via the use of the following thermostats that regulate the room temperature by interacting with up to max 5 radiators.

Code	Description	Price (€)
ZRF004	Kit with WALL type room thermostat (radio frequency)	
ZRF005	Kit with TABLE type room thermostat (radio frequency) with weekly programming	

The price of the two kits mentioned above includes the wall box radiofrequency receiver that strictly must be installed.

## Wireless connections



# TBT BASE

Vertical radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured



## FLOOR version WATER operating

Model	H (cm)	L (cm)	Watts $\Delta T$ 50°C	Watts $\Delta T$ 50°C	Coloured version (€)	Chrome plated version * (€)
			Coloured version	Chrome plated version		
TBT150	150,0	14,5	149	88		
TBT180	180,0	14,5	172	106		

## FLOOR version ELECTRIC OPERATING WITH EXTERNAL CORD

Model	H (cm)	L (cm)	Watts	Watts	Coloured version (€)	Chrome plated version * (€)
			Coloured version	Chrome plated version		
TBT150	150,0	14,5	68	68		
TBT180	180,0	14,5	83	83		

## FLOOR version ELECTRIC operating with RECESSED CORD

Model	H (cm)	L (cm)	Watts $\Delta T$ 50°C	Watts $\Delta T$ 50°C	Coloured version (€)	Chrome plated version * (€)
			Coloured version	Chrome plated version		
TBT150	150,0	14,5	68	68		
TBT180	180,0	14,5	83	83		

Colours not available: GROR

## PRICE ONLY FOR THE RECESSED PART (TBT recess)

Includes the floor recessed part for connection to the Remote Valve Assembly and the support of the external part of TBT.

Model	HYDRAULIC VERSION	ELECTRIC VERSION HIDDEN WIRE
SINGLE INCTBTBA#...		

## REMOTE VALVE ASSEMBLY (GVR)

Includes the complete Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Code	Description	Chrome plated G0 * (€)	Coloured C0 - C1 - C2 - C3 (€)
GVR	Valve and Lockshield assembly for recessed remote connection, CHROME finish		-
GVRC	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	-	

The external finish of the GVR is Glossy Chrome-plated, Black Nichel, Tin glossy

For the GVRC code you must specify the colour required

\* Additional charge for the new galvanic finishings Black Nichel and Tin Glossy +10% on the Chrome version. The same additional charge is valid for the valves too.