

The John Lewis Partnership Sailing Club Regatta

7th 8th October 2023

Organised by the Island Sailing Club Cowes

NOTICE OF RACE

JOHN LEWIS PARTNERSHIP SAILING CLUB REGATTA NOTICE OF RACE

High Water Portsmouth (BST)

Saturday 7 th October	0555 3.8m	1808 3.7m
Sunday 8 th October	0720 3.7m	1944 3.6m

1. RULES and CONDITIONS OF ENTRY

- **1.1.** Racing will be governed by the 'rules' as defined in the Racing Rules of Sailing (RRS 2021-2024), the prescriptions of the RYA, the Island Sailing Club Rating System (ISCRS), this Notice of Race and the Sailing Instructions. In case of conflict, the Sailing Instructions shall prevail.
- **1.2.** All monohull cruising boats shall comply with current ISAF Offshore Special Regulations for Category 4 except that regulations 3.09.1, 3.09.2 and 3.09.4 as regards cockpit self-draining, water tightness and draining and the height of the cockpit sole shall not apply. Boats may use a trisail instead of reefing equipment to reduce mainsail luff to 60% or less.
- **1.3.** A boat is entirely responsible for her own safety, whether afloat or ashore, and nothing in this Notice of Race or the Sailing Instructions or anywhere else, reduces this responsibility.
- **1.4.** It is for each boat to decide whether she is fit to sail in the conditions in which she will find herself. By launching or going to sea, the boat confirms that she is fit for those conditions and that her crew is competent to sail and compete in them.
- **1.5.** The boat is responsible to ensure that she is equipped and seaworthy so as to be able to face extremes of weather, that there is sufficient crew in number, experience and fitness to withstand such weather, and that the safety equipment is properly maintained, stowed and in date and that the crew know how to use it. The fact that the Race Committee may conduct inspections of a boat does not reduce the responsibilities of the boat set out in this paragraph.
- 1.6. Nothing done by the Organisers can reduce the responsibility of the boat nor will it make the Organisers responsible for any loss, damage, death or personal injury, however it may have occurred, as a result of the boat taking part in the racing. The Organisers encompass everyone helping to run the races and the event, and include the Organising Authority, the Race Committee and the Race Officer.
- **1.7.** Competitors must comply with any current rules/guidance in force at the time of each race during the event.

2. CHANGES TO RACING RULES

RRS Appendix A2 is changed in that no scores will be excluded.

3. ADVERTISING

Boats may advertise in accordance with ISAF Regulation 20 (Advertising Code) except that no advertising relating to tobacco products are permitted.

4. ELIGIBILITY AND ENTRY

- **4.1.** The Regatta is open to boats rated under the Island Sailing Club's rating system. A copy of the form is included at the end of this NOR.
- **4.2.** All boats will be rated under ISCRS for this year's regatta.
- 4.3. Boats whose ISCRS rating was calculated more than 3yrs ago may be asked to submit new measurements.
- Entries on the official entry form together with the correct entry fee must be received by the Sailing Secretary, JLPSC, Hanger 2D (H2D), Universal Marina, Crableck Lane, Sarisbury Green, Southampton, SO31 7ZN by Monday 25th September

Late entries may be accepted and will attract a ± 15.00 administration charge.

- **4.5.** Withdrawal of an entry will be accepted up to 48 hours before the start of the Regatta with a surcharge of 50% of the entry fee.
- **4.6.** In the event of race/races being abandoned and not being re-sailed, entry fees will not be refunded.
- **4.7.** All monohull cruising boats must be over 7.77 metres overall length.

5. RACING SCHEDULE (All times are BST)

0. 10101110 0 0 0 0 0 0 0 0 0 0 0 0 0 0	· · · · · · · · · · · · · · · · · · ·							
Saturday	Warning signal (Class Flag)	Preparatory signal	1 min signal	START				
Race 1	1025	1026	1029	1030				
The Warning Signal for race 2 will be as soon as practicable after the completion of Race 1								
Sunday	Warning signal (Class Flag)	Preparatory signal	1 min signal	START				
Race 3	0955	0956	0959	1000				

The Class flag for ISC rated yachts will be Numeral Pennant 4.

6. SAILING INSTRUCTIONS

Sailing Instructions will be available on the Island Sailing Club website www.islandsc.org.uk/sailing/ by Monday 25th September 2023.

7. RACING AREA

The Central Solent.

8. COURSE

Starts are scheduled to be from the Island Sailing Club Shore Line. The courses to be sailed will consist of fixed Solent marks or a combination of fixed and specially laid marks which have each been allocated a code letter, symbol or number. Courses will be communicated by VHF Radio and mobile phone text message (to the number provided by the skipper on the entry form)

9. SCORING

Boats will be placed in sequence from the shortest corrected time after the elapsed time has been multiplied by the relevant correction factor. All races will count. There will be no discards. This changes RRS Appendix A2.

10. RISK STATEMENT

RRS 3 states: "The responsibility for a boat's decision to participate in a race or to continue racing is hers alone." Sailing is by its nature an unpredictable sport and therefore inherently involves an element of risk. By taking part in this series, each competitor agrees and acknowledges that:

- a) They are aware of the inherent element of risk involved in the sport and accept responsibility for the exposure of themselves, their crew and their boat to such inherent risk whilst taking part in the series;
- b) They are responsible for the safety of themselves, their crew, their boat and their other property whether afloat or ashore;
- c) They accept responsibility for any injury, damage or loss, to the extent caused by their own actions or omissions;
- d) Their boat is in good order, equipped to sail in the series and they are fit to participate;
- e) The provision of a race management team, patrol boats and other officials and volunteers by the event organiser does not relieve them of their own (the competitors') responsibilities;
- f) The provision of patrol boat cover is limited to such assistance, particularly in extreme weather conditions, as can be practically provided in the circumstances.
- g) It is their responsibility to familiarise themselves with any risks specific to this venue or this event drawn to their attention in any rules and information produced for the venue or event and to attend any safety briefing held for this event.

11. RYA CHARTER

Competitors should note that Island Sailing Club events implement the RYA Racing Charter and that they will be required to sail in compliance with the Charter, which can be found at the front of the RYA rule book

(Racing Rules of Sailing 2021-2024) or at <u>www.rya/org.uk/racing/charter</u>

12. INSURANCE

Each participating boat shall be insured with valid third party liability insurance with a minimum cover of ± 3 million per incident or the equivalent.




2023 Island Sailing Club Rating System (ISCRS) **Application Form**

Return to: The Sailing Secretary, Island Sailing Club, 70 High St. Cowes, IOW, PO31 7RE Office: 01983 296621 Direct: 01983 249431 ben@islandsc.org.uk www.islandsc.org.uk

BOAT AND OWNE	R DE	FAILS													
Full Sail Nun (Inc all lette							Bo	at Nam	е						
Make and M	odel								Year	built					
Which event are you entering?								(i.e. Cow	es Week / I	SC Inshore S	eries)				
Owner / Helm's	Name														
Contact Phone No															
Email (Please print)															
BOAT DIMENSION	S AN	D WEIGI	HT (Fo	or assi	stance	e refer t	o Diagi	am ai	nd G	Glossar	y below	r)			
Hull Length (I	HL)	n	_m Waterline L		Length (L	ngth (LWL)m		_m	Bean	n	m	Dra	aft	m	
Empty Wei (Min 770		k	g	Sailing Displacement		nent		_kg							
Source of we (eg load cell /	ight dat brochui	ta re)													
KEEL CONFIGURA		AND B	ALLA:	ST											
	Loi	ng Keel 🗌		Lifting	🗆 ти	vin Bilge				Does yo	ur boat ha			[/] or variabl it or Cantir	
What type of keel does your boat have? Fin [Fin 🗆	Power Lifting		🗆 Trij	ple Bilge							Yes 🗌 No 🗌		
, i	Centr	eboard 🗌	Scheel 🗌			Wing									
ENGINE AND PRO	PELL	ER													
What type of eng	ine doe	s your boa	t have?	Inbo	bard 🗆	Outbo	oard (liftin	ig) 🗆	Sa	ail Drive [lf yo	ur propel	ler is fixed	l, how mar	ny blades s it have?
What type of propeller does			t have?	F	ixed 🗆		Foldi	ng 🗆	Fea	athering [_blades
RIG (For assistance	e refe	er to Dia	aram	and G	lossarv	v below	()								
RIG (For assistance refer to Diagram and Glossary If your sail data was provided last year or the year before and remains unchanged tick here						·	il plan s	tanda	ard for you desig	ur boat's gn type?	∕es □	No 🗆			
Will your boat be carrying a						No 🗆	Will yo	our boat	be c	arrying a	Cruising	∕es □	No 🗌		
What type of rig does yo	ur boat	have? (Tic	k multip	le boxes	where a	opropriat	e) If Othe	er Tick [] an	d specify:	Onato.				
Ketch Bermudan		sthead	Sloo		Gaff 🗌	Fraction		Yawl 🗆		Junk 🗌	Cutter 🗆	l Sch	ooner 🗌		
			- 4- D				helev								
SAIL PLAN (For as Mainsa					nsail Foot		y belov		sail ½	2 Width			Mainsa	il 3⁄4	
	(P)		m		(E		n			(MHW)		m	Width (M7		m
Mainsail Area (if					m ²	_				have a fur				Yes 🗌	No 🗌
Luff Length (LL) of largest Headsail (not Spinnaker)m			Luff Perpendicular (LP) of largest Headsail (not spinnaker)				m								
Area of largest Headsail (not Spinnaker) if knownm ²		2	Does	s your b	oat h	nave a furli	ing Heads	ail?		Yes 🗌	No 🗌				
please	If you have a Mizzen Mast please provide: Mizzen Hoist (PY)m Mizzen Foot (EY)			_	n	_			Mizzen / (if kno	own) _			m ²		
If your boa What is the maximum area of all headsails th							m		ce of	your Sail		nent ata?			

ISCRS	RULES
1	The Island Sailing Club Rating System (ISCRS) is a simple rating system aimed to classify a broad range of cruising and racing ballasted mono hull keel boats for competition by providing ratings based on time allowances.
2	Ratings are for use only in races run by the Island Sailing Club , and by other authorities that have sought, and been given permission from the Island Sailing Club to do so.
3	ISCRS is administered solely by the Island Sailing Club. No certificates are issued.
4	ISCRS ratings are based on owner-supplied information and its calculations will remain secret. The emphasis is on simplicity.
5	Advertising is permitted in accordance with World Sailing Regulation 20 (Advertising Code).
6	RRS 51 (Movable Ballast) shall not apply to movable and/or variable ballast which is declared and rated.
7	RRS 52 (Manual Power) shall not apply.
8	Some or all of the dimensions of production boats may be standardised. In the absence of standard data, owners are encouraged to establish an accurate sailing displacement or empty weight figure by providing an actual weighed weight. Weights obtained from built-in crane weighers or travel hoists are not accurate and should not be used.
9	Owners should provide sail measurements as requested on the rating application form.
10	Subjective judgement where exercised is the sole responsibility of the Island Sailing Club.

DIAGRAM AND GLOSSARY



Hull Length (HL)	The length overall of the hull, excluding bowsprit and any other rigging, stem fittings, stern fittings, pulpits, any overhanging rudder and rudder hangings.
Waterline Length (LWL)	Length on flotation water plane in empty weight condition, excluding any overhanging rudder and rudder hangings.
Beam	The maximum horizontal dimension of the boat, excluding any rubbing strake or toe rail.
Draft	The maximum depth of the boat or any of its appendages below the water plane in empty weight condition.
Empty Weight	Empty Weight is the weight of the boat in dry condition, fully rigged with all standing rigging and spars (including spinnaker pole(s)). It includes all permanent fixtures and fittings, batteries, main engine installation, or outboard engine aboard in stowed position, but excludes all loose gear. If rated to a class standard rating, the boat's standard fit out may be used.
Sailing Displacement	The empty weight with the addition of items such as running rigging, sails, anchors, chains, warps and loose gear, together with adequate fuel and water which puts the boat in racing trim.
Mainsail ½ Width (MHW)	The half width of the mainsail, measured as the shortest distance between the half leech point and the luff, bridging any hollows in the leech of the sail.
Mainsail ¾ Width (MTW)	The three-quarter width of the mainsail, measured as the shortest distance between the three quarter leech point and the luff, bridging any hollows in the leech of the sail

