



Material: Polished stainless steel

FUNCTIONING:		☒ HOT WATER	☒ ELECTRIC <i>(see page 100)</i>	☒ DUAL ENERGY <i>(see page 196)</i>
P. max: 8 bar		T. max: 95 °C		
Connections: 2 x 1/2" gas - 1 x 1/2" gas Airvent				

1991, Elen birth date. It's the first decorative radiator totally made in stainless steel. A success coming from the Cordivari know-how, a company leading in the stainless steel working.

Elen is a precious piece with an unalterable brightness that matches perfectly to the most exclusive bathrooms. Elen is available both in polished and satin stainless steel, and it gives to the room in which is placed a touch of elegance and refinement.

Material:

- Vertical collectors in stainless steel with $\varnothing$ of 38 mm.
- Horizontal heating elements in stainless steel $\varnothing$ 18 mm.

Fixing Kit:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick walls, user notice.

Packing:

The radiator is protected by a recycled film in polyethylene and with a box in recycled carton. User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.


Accessories:

See page 186

ACCESSORIES


	KIT 2 HOOKS POLISHED STAINLESS STEEL
Code Nr. 5991990010216	

	TOWEL BAR POLISHED STAINLESS STEEL Width 350 mm
Available with Width $\geq$ 500 mm	Code Nr. 5991990010221



Detail of the Pipe Centres 50 mm version

INOX



ELEN POLISHED STAINLESS STEEL				Pipe Centres 50					
Height (mm)	Width L (mm)	Code Nr.	Pipe Centres DBC (mm)	Code Nr.	Dry Weight (Kg)	Water Content (lt)	Output $\Delta T=50^{\circ}\text{C}$ *		75/65/20°C ($\Delta T=50^{\circ}\text{C}$) Thermal output ϕ in Watt and ΔT in °C
							Watt	kcal/h	
760	400	3551440133000	342	3551440133020	7,8	3,5	282	243	$\phi = 2,3668 * \Delta t^{1,2718}$
	500	3551440133004	442	3551440133024	9,2	4,0	358	308	$\phi = 2,5631 * \Delta t^{1,2626}$
1160	400	3551440133001	342	3551440133021	11,5	5,3	415	357	$\phi = 2,8808 * \Delta t^{1,2705}$
	500	3551440133005	442	3551440133025	13,7	6,0	523	450	$\phi = 3,7143 * \Delta t^{1,2576}$
	600	3551440133009	542	3551440133029	15,7	6,8	631	543	$\phi = 4,1122 * \Delta t^{1,2490}$
1410	400	3551440133002	342	3551440133022	13,7	6,3	486	418	$\phi = 3,3842 * \Delta t^{1,2697}$
	500	3551440133006	442	3551440133026	16,2	7,2	609	524	$\phi = 4,1369 * \Delta t^{1,2549}$
	600	3551440133010	542	3551440133030	18,6	8,1	732	630	$\phi = 5,6965 * \Delta t^{1,2450}$
1885	400	3551440133003	342	3551440133023	18,3	8,4	646	556	$\phi = 4,5266 * \Delta t^{1,2681}$
	500	3551440133007	442	3551440133027	21,7	9,6	799	687	$\phi = 5,6965 * \Delta t^{1,2487}$
	600	3551440133011	542	3551440133031	24,9	10,8	952	819	$\phi = 6,6264 * \Delta t^{1,2357}$
2110	500	3551440133008	442	3551440133028	24,6	10,9	902	776	$\phi = 6,9100 * \Delta t^{1,2453}$
	600	3551440133012	542	3551440133032	28,3	12,3	1070	920	$\phi = 7,0734 * \Delta t^{1,2305}$
	800	3551440133013	742	3551440133033	35,6	15,0	1404	1207	$\phi = 10,3116 * \Delta t^{1,2117}$

(*) For output at different Δt than 50°C , see page 202

STAINLESS STEEL
RADIATORS

ACCESSORIES

		KRISTAL VALVE SQUARE THERMOSTATIC FUNCTION CHROME (thermostatic head to be ordered separately)	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990311063	Ø 14/16/18	5991990311064

		VALVE KRISTAL SQUARE CORNER RIGHT WITH THERMOSTATIC OPTION. CHROME FINISHING	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990301046	Ø 14/16/18	5991990301045

	LIQUID THERMOSTATIC HEAD CHROME
Kit 2 pieces	
Code Nr. 5035270710015	



Material: Satin stainless steel

FUNCTIONING:		☒	☒
		HOT WATER	DUAL ENERGY (see page 196)
P. max: 8 bar		T. max: 95 °C	
Connections: 2 x 1/2" gas - 1 x 1/2" gas Airvent			

1991, Elen birth date. It's the first decorative radiator totally made in stainless steel. A success coming from the Cordivari know-how, a company leading in the stainless steel working.

Elen is a precious piece with an unalterable brightness that matches perfectly to the most exclusive bathrooms. Elen is available both in polished and satin stainless steel, and it gives to the room in which is placed a touch of elegance and refinement.

Material:

- Vertical collectors in stainless steel with $\varnothing$ of 38 mm.
- Horizontal heating elements in stainless steel $\varnothing$ 18 mm.

Fixing Kit:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick walls, user notice.

Packing:

The radiator is protected by a recycled film in polyethylene

and with a box in recycled carton. User notice included.

Features:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.


Accessories:

See page 186

ACCESSORIES


	KIT 2 HOOKS SATIN STAINLESS STEEL
Code Nr. 5991990010217	

	TOWEL BAR SATIN STAINLESS STEEL Width 350 mm
Available with Width $\geq$ 500 mm	Code Nr. 5991990010222



Detail of the Pipe Centres 50 mm version

INOX



ELEN SATIN STAINLESS STEEL				Pipe Centres 50					
Height (mm)	Width L (mm)	Code Nr.	Pipe Centres DBC (mm)	Code Nr.	Dry Weight (Kg)	Water Content (lt)	Output $\Delta T=50^{\circ}\text{C}$ *		75/65/20°C ($\Delta T=50^{\circ}\text{C}$)
							Watt	kcal/h	
760	400	3551590133000	342	3551590133020	7,8	3,5	291	250	$\phi = 2,3668 * \Delta t^{1,2856}$
	500	3551590133004	442	3551590133024	9,2	4,0	370	318	$\phi = 2,5594 * \Delta t^{1,2714}$
1160	400	3551590133001	342	3551590133021	11,5	5,3	434	374	$\phi = 2,9108 * \Delta t^{1,2795}$
	500	3551590133005	442	3551590133025	13,7	6,0	545	469	$\phi = 3,7143 * \Delta t^{1,2634}$
	600	3551590133009	542	3551590133029	15,7	6,8	657	565	$\phi = 4,1122 * \Delta t^{1,2527}$
1410	400	3551590133002	342	3551590133022	13,7	6,3	509	438	$\phi = 3,4554 * \Delta t^{1,2762}$
	500	3551590133006	442	3551590133026	16,2	7,2	636	547	$\phi = 4,1369 * \Delta t^{1,2590}$
	600	3551590133010	542	3551590133030	18,6	8,1	764	657	$\phi = 5,6965 * \Delta t^{1,2476}$
1885	400	3551590133003	342	3551590133023	18,3	8,4	701	603	$\phi = 5,8460 * \Delta t^{1,2236}$
	500	3551590133007	442	3551590133027	21,7	9,6	868	746	$\phi = 5,6965 * \Delta t^{1,2631}$
	600	3551590133011	542	3551590133031	24,9	10,8	1014	872	$\phi = 6,6264 * \Delta t^{1,2630}$
2110	500	3551590133008	442	3551590133028	24,6	10,9	945	813	$\phi = 7,2877 * \Delta t^{1,2436}$
	600	3551590133012	542	3551590133032	28,3	12,3	1120	963	$\phi = 7,0734 * \Delta t^{1,2293}$
	800	3551590133013	742	3551590133033	35,6	15,0	1472	1266	$\phi = 10,3116 * \Delta t^{1,2113}$

(*) For output at different Δt than 50°C , see page 202

STAINLESS STEEL
RADIATORS

ACCESSORIES

		KRISTAL VALVE SQUARE THERMOSTATIC FUNCTION SATIN STAINLESS STEEL (thermostatic head to be ordered separately)	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990321043	Ø 14/16/18	5991990321044

		VALVE KRISTAL CORNER RIGHT FOR THERMOSTATIC FUNCTION SATIN STAINLESS STEEL	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990321034	Ø 14/16/18	5991990321033

		VALVE KRISTAL CORNER LEFT FOR THERMOSTATIC FUNCTION SATIN STAINLESS STEEL	
COPPER connection	Code Nr.	MULTILAYER connection	Code Nr.
Ø 10/12/14/15/16	5991990301046	Ø 14/16/18	5991990301045